# WESTERN REVEAL®

Horizontal or Vertical Installation. Available in A606-4 (aka Corten®) or Bare Cold Rolled Steel



# MIX AND MATCH DIFFERENT REVEALS, FACE SIZES, AND WIDTHS

## **SPECIFICATIONS**

Material Type: Western Reveal® Rib Height: 1.5" Panel Face: 12", 14", 16", 18" Panel Reveal: 1", 2", 3", or No Reveal Available Gauges:


- A606-4 (aka Corten®): 22
- Bare Cold Rolled: 22

Substrate: A606-4 or Bare Cold Rolled Fasteners: Concealed Panel Length: 1' to 35' Installation: Over a solid substrate

Material does not arrive pre-rusted. Panel will rust naturally with exposure to the weather. Use stainless steel fasteners with a painted brown screw head.

### **RECOMMENDATIONS AND CAUTIONS**


- A606-4 and Bare Steel performs best in environments with low humidity
- Load calculations and load tables DO NOT APPLY TO ANY A606 OR BARE STEEL PRODUCT.
- A606-4 should not be used with dissimilar metals other than stainless steel. This will decrease the lifespan of the product.
- Screws and clips for A606-4/Corten MUST be stainless steel. Screw head will be painted brown.
- Underlayment should be a HIGH TEMPERATURE UNDERLAYMENT.
- Not recommended near salt spray environments and frequent rain locations as it will shorten the life expectancy of the products.
- Acid washing will degrade steel performance.
- Rust runoff will likely stain the surrounding surfaces.
- NO WARRANTIES FOR THESE PRODUCTS




# 1" Reveal

# 3" Reveal








### 2" Reveal

### No Reveal



When the panels are installed side-by-side horizontally, the reveal forms a vertical gap between panels - making your project even more fascinating. Mix and match panels for a unique design.

